

PATENT
930059-2007

EFW


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : Hai Liang
Serial No. : 10/659,196
For : QUICK CEILING FAN HOUSING AND CANOPY
INSTALLATION ASSEMBLY
Filing Date : September 9, 2003
Examiner : Kimberly T. Wood
Group Art Unit : 3632
Confirmation No. : 5598

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to MAIL STOP AMENDMENT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on April 18, 2005

Ronald R. Santucci, Reg. No. 28,988

Name of Applicant, Assignee or Registered Representative


Signature

April 18, 2005

Date of Signature

745 Fifth Avenue
New York, NY 10151

COMMUNICATION

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:


Enclosed please find a copy of the Response to the Official Action of August 16, 2004, which we filed with the Patent Office together with a one-month extension of time on December 16, 2004.

In response to the Office communication dated April 11, 2005, which is included, the above-identified Response has been revised to list claims 6-10 with the status identifier (withdrawn). No other changes were made to the Amendment.

We believe that no fees will be incurred for this action. If fees are incurred by reason of this action, please charge any fees to Deposit Account No. 50-0320.


Respectfully submitted,
FROMMER LAWRENCE & HAUG LLP

By:


Ronald R. Santucci
Reg. No. 28,988
(212) 588-0800



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/659,196	09/09/2003	Hai Liang	930059-2007	5598
20999	7590	04/11/2005	EXAMINER	
FROMMER LAWRENCE & HAUG 745 FIFTH AVENUE- 10TH FL. NEW YORK, NY 10151			WOOD, KIMBERLY T	
			ART UNIT	PAPER NUMBER

3632

DATE MAILED: 04/11/2005

DOCKETED

Please find below and/or attached an Office communication concerning this application or proceeding.

2005 APR 15 A 11:08
FROMMER, LAWRENCE
& HAUG, LLP



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

20050331

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

See Attached

Kimberly T. Wood
Primary Examiner
Art Unit: 3632

This is an office action for serial number 10/659,196, entitled QUICK CEILING FAN HOUSING AND CANOPY INSTALLATION ASSEMBLY, in response to Amendment filed on January 11, 2005.

Response to Amendment

The reply filed on January 11, 2005 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the amendment is not in compliance with the revised amendment practice 37 CFR 1.121 effective July 30, 2003 because all of the claims have not been listed. Claims 6-10 have not been listed with the status identifier (withdrawn). (1) The current status of all of the claims in the application must be given in a parenthetical expression following the claim number using only one of the following seven status identifier:

(original), (currently amended), (canceled), (withdrawn), (new), (previously presented) and (not entered). Canceled and not entered claims must be indicated by only the claim number and status, without presenting the text of the claims. (2) The text of all claims being currently amended must be presented in the claim listing with markings to indicate the changes that have been made relative to the immediate prior version. The changes in any amended claim must be shown by underlining (for added matter) or strikethrough (for deleted matter) with 2 exceptions:

Art Unit: 3632

(1) for deletion of five characters or fewer, double brackets may be used (e.g., [[error]]); and (2) if strikethrough cannot be easily perceived (e.g., deletion of number "4" or certain punctuation marks), double brackets must be used (e.g., [[4]]). Only claims of the status "currently amended," and "withdrawn" that are being amended, may include markings. (3) The text of pending claims not being currently amended, including withdrawn claims, must be presented in the claim listing in clean version, i.e., without any markings. Any claim text presented in clean version will constitute an assertion that it has not been changed relative to the immediate prior version except to omit markings that may have been present in the immediate prior version of the claims. (4) A claim being canceled must be listed in the claim listing with the status identifier "canceled"; the text of the claim must not be presented. Providing an instruction to cancel is optional. (5) Any claims added by amendment must be presented in the claim listing with the status identifier "(new)"; the text of the claim must not be underlined. (6) All of the claims in the claim listing must be presented in ascending numerical order. Consecutive canceled, or not entered, claims may be aggregated into one statement (e.g., Claims 1-5 (canceled)). See 37 CFR 1.111.

Since the above-mentioned reply appears to be *bona fide*, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly T. Wood whose telephone number is 703-308-0539. The examiner can normally be reached on Monday-Thursday 7:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun can be reached on 571-272-6815. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Kimberly T. Wood
Primary Examiner
Art Unit 3632

April 4, 2005